### Catering Lifts



## Regional Jet CL40-12

- Isuzu half cab chassis
- 10'-12' van body
- 60"-120" platform reach
- 4,000 lbs lift capacity

#### AIRCRAFT APPLICATIONS:

BOEING B707/B720 SERIES B-707/DC-9/MD-80 SERIES B-727 SERIES B-737 SERIES BAE/ROMBAC 1-11 CARVELLE TU-134 SERIES TU-204 SERIES YAK 42




Tesco lift design make us an industry leader with over 65 years experience. Our hi-lifts are among the smoothest operating hi-lifts in the industry.




# Regional Jet AMB12-12





- Payload capacity 1,200 lbs (545.5 kg).
- Van dimensions; 10 ft/3 m L x 84 in/2.1 m W
- Van body floor and interface platform floor constructed using Aluminum diamond plate
- Upper and lower control stations both equipped with Emergency Stop switches and Engine Remote Start on upper control
- Dual lift safety circuit
- Safety interlocks that prevent driving the vehicle when the hi-lift platform is raised
- Emergency hand pump that returns the unit to its fully stowed position in the event of a main hydraulic system failure



### Chassis Specification

- G.S.E. dedicated chassis
- Powerplant gasoline engine
- Power steering hydraulically assisted
- Full complement of lighted instruments including a fuel gauge
- Full chassis lighting including: headlights, taillights, back up lights, turn signals, and brake lights

#### **Optional Features**

- Diesel engine
- Cabless chassis
- Heater and defroster for vehicle equipped with the cab option
- Stainless steel or polished aluminum van body side panels
- Cab mounted engine hour meter
- Safety "Amber" warning beacon
- Positional platform mounted floodlights
- Dome light timer
- Audible back up alarm and/or platform lowering alarm
- Rear lift gate
- COLD WEATHER PACKAGE











TESCO's Self Contained
Hydraulic & Electrical Systems
provide the simplicity and
ease of maintenance to
meet the demands of our
customers.





Our Plug & Play system was designed specifically for Aviation Catering applications.





Each component can be easily detached and replaced for reduced maintenance time.



LED indicators on every relay allow easy troubleshooting.



Standard Automotive components easily sourced in local markets.



